



For Fast Control of Tough Broadleaf Weeds

POSTEMERGENCE AND LAYBY COTTON

Key Benefits

- Controls problem weeds like morningglory, pigweed, and nightshade
- Economical weed control at low rates per acre
- Fast-acting and highly effective on tough broadleaf weeds
- Greatly enhances activity of other herbicides in tank mixtures
- May be used alone for annual morningglory control

Weeds Controlled

Morningglory, Nightshade, Pigweeds, Annual Sowthistle, Field Bindweed, Purslane, and other tough broadleaf weeds

Recommended Use Rates

- For cotton with less than 3 inches of barked stem, apply with a hooded sprayer.
 - Use 1.0 to 2.0 fl oz/acre ET herbicide alone
 - Use 0.5 to 2.0 fl oz/acre ET herbicide in tank mixtures with other labeled herbicides
- For cotton with 3 inches or more of barked stem, apply as a directed spray.
 - Use 0.5 to 1.0 fl oz/acre ET herbicide in tank mixtures with other labeled herbicides

Use Information

- Use a COC or MSO for optimum results.
- Use higher rates for larger and tougher weeds.
- Avoid contact with desired vegetation.

North SJV: David Haas; (559) 799-5885
South SJV: John Hubbard; (559) 804-1063
Arizona: Scott Rust-Nigh; (928) 580-1649
Regional Manager: David Haas; (559) 799-5885

Control of Morningglory with ET



Before treatment



2 days after treatment
2.0 fl oz ET + 1% COC

NICHINO
AMERICA