Solutions for Citrus Pests







APTA® Insecticide

- Effective control of adult and immature stages of Asian citrus psyllid (ACP), barnacle scale, mealybugs, and mites
- Fast knockdown
- Rapid stop-feeding activity

CENTAUR® Insect Growth Regulator

- Excellent control of barnacle scale immature stages
- Effective on other soft scales and mealybugs
- IPM Compatible easy on beneficial insects

PORTAL® Miticide/Insecticide

- Controls all motile stages of mites and ACP adults and nymphs
- Inhibits molting and suppresses egg laying of mites
- IPM Compatible soft on beneficial insects, including bees



Barnacle Scale Crawlers



Asian Citrus Psyllid



Citrus Red Mite

USE RECOMMENDATIONS

| Product | PHI | Pest | Timing | Use Rate | Maximum Applications |
|---|------------------|--|---|---|--------------------------------|
| APTA Insecticide IRAC 21A | 3 | Asian Citrus Psyllid Barnacle Scale Citrus Rust Mite Other Mites | New Flush Nymph Stages March - June March - June | 14 - 27 fl oz/A 21 - 27 fl oz/A 27 fl oz/A 21 - 27 fl oz/A | One per season (27 fl oz/A) |
| CENTAUR Insect Growth Regulator IRAC 16 | D A Y S | Barnacle Scale Mealybug | March - September Nymph Stage | 34.5 - 46 oz/A 34.5 - 46 oz/A | Two per season (92 oz/A) |
| PORTAL Miticide/Insecticide IRAC 21A | | Citrus Rust Mite Asian Citrus Psyllid Mites (citrus red, two-spotted spider, Texas citrus) | Dormant, Bloom Flush September - June | 64 fl oz/A 32 - 64 fl oz/A 32 - 64 fl oz/A | Two per season (64 fl oz/A) |

Refer to the Global MRL database for current established tolerances. https://www.globalmrl.com/db#query







